Index of Authors

Aasen, I.M. *see* Møretrø, T.
Abe, K. *see* Watanabe, K.
Abee, T. *see* Chitarra, L.G.
Abee, T. *see* Coffey, A.
Abellana, M., Ramos, A.J., Sanchis, V. & Nielsen, P.V. Effect of modified atmosphere packaging and water activity on growth of *Eurotium amstelodami*, *E. chevalieri* and *E. herbariorum* on a sponge cake analogue, 606
Adamidis, T. *see* Xanthopoulos, V.
Ahola-Luttila, H. *see* Johansson, T.
Aissi, E. *see* Duez, H.
Allison, D.G. *see* Maira-Litrán, T.
Alonso, J.L. *see* Geissler, K.
Amagliani, G. *see* Brandi, G.
Amaro, C. *see* Fouz, B.
Amorós, I. *see* Geissler, K.
Andreoni, V. *see* Cavalca, L.
Andrighetto, C. *see* Suzzi, G.
Antholine, W.E. *see* Myers, C.R.
Antranikian, G. *see* Frillingos, S.
Arola, L. *see* Reguant, C.
Artigas, M.G. *see* Aymerich, T.
Ascencio, F. *see* Guzman-Murillo, M.-A.
Ausina, V.R. *see* Torrelles, J.B.
Axelsson, L. *see* Møretrø, T.
Aymerich, T., Artigas, M.G., Garriga, M., Monfort, J.M. & Hugas, M. Effect of sausage ingredients and additives on the production of enterocins A and B by *Enterococcus faecium* CTC492. Optimization of *in vitro* production and anti-listerial effect in dry fermented sausages, 686

Bainotti, A.E. & Nishio, N. Growth kinetics of *Acetobacterium* sp. on methanol-formate in continuous culture, 191
Baranyi, J. *see* Pin, C.
Bardocz, S. *see* Naughton, P.J.
Beaudet, R. *see* Marcoux, J.
Bell, H.C. *see* Cox, S.D.
Bell, R.G. *see* Broda, D.M.
Bellon-Fontaine, M.N. *see* Giovannacci, I.
Bennett, G.N. *see* Tyurin, M.
Bentancor, L. *see* Cataldi, A.
Beran, G.W. *see* Moro, M.H.
Beresford, T. *see* Morgan, S.M.
Berg, G. Diversity of antifungal and plant-associated *Serratia plymuthica* strains, 952
Bertrand, A. *see* Moreno-Arribas, V.
Beumer, R.R. *see* Van Gerwen, S.J.C.
Bhushan, B. Production and characterization of a thermostable chitinase from a new alkalophilic *Bacillus* sp. BG-11, 800
Bhushan, B. *see* Gupta, S.
Bisaillon, J.-G. *see* Marcoux, J.
Blair, I.S. *see* Bolton, D.J.
Blair, I.S. *see* Logue, C.M.
Boeira, L.S., Bryce, J.H., Stewart, G.G. & Flannigan, B. The effect of combinations of *Fusarium* mycotoxins (deoxynivalenol, zearalenone and fumonisin B1) on growth of brewing yeasts, 388
Bolton, D.J., McMahon, C.M., Doherty, A.M., Sheridan, J.J., McDowell, D.A., Blair, I.S. & Harrington, D. Thermal inactivation of *Listeria monocytogenes* and *Yersinia enterocolitica* in minced beef under laboratory conditions and in sous-vide prepared minced and solid beef cooked in a commercial retort, 626
Bond, U. *see* Brosnan, M.P.
Boote, V. *see* Tavana, A.M.
Bordons, A. *see* Reguant, C.
Bouquelet, S. *see* Duez, H.
Bouttefroy, A., Linder, M. & Millière, J.B. Predictive models of the combined effects of curvaticin 13, NaCl and pH on the behaviour of *Listeria monocytogenes* ATCC 15313 in broth, 919
Brandi, G., Sisti, M. & Amagliani, G. Evaluation of the environmental impact of microbial aerosols generated by wastewater treatment plants utilizing different aeration systems, 845
Breeuwer, P. *see* Chitarra, L.G.
Brennan, P.J. *see* Torrelles, J.B.
Brigmon, R.L. *see* Glucksman, A.M.
Broda, D.M., Musgrave, D.R. & Bell, R.G. Use of restriction fragment length polymorphism analysis to differentiate strains of psychrophilic and psychrotrophic clostridia associated with 'blown pack' spoilage of vacuum-packed meats, 107
Bronnenmeier, K. *see* Donaghy, J.A.
Brosnan, M.P., Donnelly, D., James, T.C. & Bond, U. The stress response is repressed during fermentation in brewery strains of yeast, 746
Bruun, M.S. *see* Wiklund, T.
Bryce, J.H. *see* Boeira, L.S.
Burton, N.F. *see* Wigley, P.
Busquets, M. *see* Haba, E.

Cabo, M.L., Murado, M.A., González, M.P. & Pastoriza, L. Dose–response relationships. A model for describing interactions, and its application to the combined effect of nisin and lactic acid on *Leuconostoc mesenteroides*, 756
Cabrera, G.M. *see* Fernández Murga, M.L.
Cai, Y. *see* Hudson, J.A.
Calderon, M. *see* Guyot, J.P.
Cansado, J. *see* Gacto, M.
Caprette, D. *see* Tyurin, M.
Carlin, F. *see* Choma, C.
Carpentier, B. *see* Leriche, V.
Carstens, B.P. *see* Myers, C.R.
Caruso, M. *see* Suzzi, G.

Cataldi, A., Mock, M. & Bentancor, L. Characterization of *Bacillus anthracis* strains used for vaccination, 648
Cavalca, L., Confalonieri, A., Larcher, S. & Andreoni, V. Evolution of a degradative bacterial consortium during the enrichment of naphtha solvent, 1009
Cayuela, C. *see* Duez, H.
Champagne, C.P., Gardner, N.J., Soulignac, L. & Innocent, J.P. The production of freeze-dried immobilized cultures of *Streptococcus thermophilus* and their acidification properties in milk, 124
Chatterjee, D. *see* Torrelles, J.B.
Chauhan, A., Samanta, S.K. & Jain, R.K. Degradation of 4-nitrocatechol by *Burkholderia cepacia*: a plasmid-encoded novel pathway, 764
Cheeke, P.R. *see* Wang, Y.
Cheigh, C.-I. *see* Choi, H.-J.
Chen, M.T. *see* Tseng, Y.Y.
Chitarra, L.G., Breeuwer, P., Van Den Bulk, R.W. & Abee, T. Rapid fluorescence assessment of intracellular pH as a viability indicator of *Clavibacter michiganensis* subsp. *michiganensis*, 809
Choi, H.-J., Cheigh, C.-I., Kim, S.-B. & Pyun, Y.-R. Production of a nisin-like bacteriocin by *Lactococcus lactis* subsp. *lactis* A164 isolated from Kimchi, 563
Choma, C., Guinebretière, M.H., Carlin, F., Schmitt, P., Velge, P., Granum, P.E. & Nguyen-The, C. Prevalence, characterization and growth of *Bacillus cereus* in commercial cooked chilled foods containing vegetables, 617
Cochran, W.L., McFeters, G.A. & Stewart, P.S. Reduced susceptibility of thin *Pseudomonas aeruginosa* biofilms to hydrogen peroxide and monochloramine, 22
Cochran, W.L., Suh, S.-J., McFeters, G.A. & Stewart, P.S. Role of RpoS and AlgT in *Pseudomonas aeruginosa* biofilm resistance to hydrogen peroxide and monochloramine, 546
Coffey, A., Van Den Burg, B., Veltman, R. & Abee, T. Characteristics of the biologically active 35-kDa metalloprotease virulence factor from *Listeria monocytogenes*, 132
Confalonieri, A. *see* Cavalca, L.
Cools, S. *see* Duez, H.
Corner, R.J. *see* Hudson, J.A.
Corsetti, A. *see* Gobbetti, M.
Cosentino, A.M. *see* Croci, L.
Costantini, G. *see* Croci, L.
Cox, S.D., Mann, C.M., Markham, J.L., Bell, H.C., Gustafson, J.E., Warmington, J.R. & Wyllie, S.G. The mode of antimicrobial action of the essential oil of *Melaleuca alternifolia* (tea tree oil), 170
Croci, L., De Medici, D., Scalfaro, C., Fiore, A., Divizia, M., Donia, D., Cosentino, A.M., Moretti, P. & Costantini, G. Determination of enteroviruses, hepatitis A virus, bacteriophages and *Escherichia coli* in Adriatic Sea mussels, 293

Dalsgaard, I. *see* Wiklund, T.
Damborský, J. *see* Janda, L.
Daniell, T.J., Davy, M.L. & Smith, R.J. Development of a genetically modified bacteriophage for use in tracing sources of pollution, 860
Davy, M.L. *see* Daniell, T.J.
Dawson, J. *see* Lewis, G.D.
De Angelis, M. *see* Gobbetti, M.
De Medici, D. *see* Croci, L.
De Vuyst, L. *see* Georgalaki, M.D.
Deans, S.G. *see* Dorman, H.J.D.
Delattre, J.M. *see* Leclerc, H.
Dequin, S. *see* Remize, F.
Deriu, A. *see* Sechi, L.A.
Deschamps, N. *see* Ennahar, S.
Déziel, E. *see* Marcoux, J.
Dicks, L.M.T. *see* Du Toit, M.
Dicks, L.M.T. *see* Jennes, W.
Dilsook, V. *see* Singh, S.
Disalvo, A. *see* Fernández Murga, M.L.
Divizia, M. *see* Croci, L.
Doherty, A.M. *see* Bolton, D.J.
Donaghy, J.A., Bronnenmeier, K., Soto-Kelly, P.F. & McKay, A.M. Purification and characterization of an extracellular feruloyl esterase from the thermophilic anaerobe *Clostridium stercorarium*, 458
Donia, D. *see* Croci, L.
Donnelly, D. *see* Brosnan, M.P.
Dorman, H.J.D. & Deans, S.G. Antimicrobial agents from plants: antibacterial activity of plant volatile oils, 308
Drainas, C. *see* Frillingos, S.
Drucker, D.B. *see* Tavana, A.M.
Du Toit, M., Franz, C.M.A.P., Dicks, L.M.T. & Holzapfel, W.H. Preliminary characterization of bacteriocins produced by *Enterococcus faecium* and *Enterococcus faecalis* isolated from pig faeces, 482
Duez, H., Pelletier, C., Cools, S., Aissi, E., Cayuela, C., Gavini, F., Bouquelet, S., Neut, C. & Mengaud, J. A colony immunoblotting method for quantitative detection of a *Bifidobacterium animalis* probiotic strain in human faeces, 1019
Dupeyron, C. *see* Mangeney, N.
Duprè, I. *see* Sechi, L.A.

Edberg, S. *see* Leclerc, H.
Edwards, C. *see* Firth, J.R.
Elli, M., Zink, R., Rytz, A., Reniero, R. & Morelli, L. Iron requirement of *Lactobacillus* spp. in completely chemically defined growth media, 695
Ennahar, S. & Deschamps, N. Anti-*Listeria* effect of enterocin A, produced by cheese-isolated *Enterococcus faecium* EFM01, relative to other bacteriocins from lactic acid bacteria, 449
Ermel, G. *see* Giovannacci, I.
Escamilla, M.L., Valdés, S.E, Soriano, J. & Tomasini, A. Effect of some nutritional and environmental parameters on the production of diacetyl and on starch consumption

by *Pediococcus pentosaceus* and *Lactobacillus acidophilus* in submerged cultures, 142
Espuny, M.J. *see* Haba, E.
Esterhuysen, H.A. *see* Mulamattathil, S.G.

Fadda, G. *see* Sechi, L.A.
Faubert, E. *see* Mangeney, N.
Federighi, M. *see* Tholozan, J.L.
Fenster, K.M., Parkin, K.L. & Steele, J.L. Characterization of an arylesterase from *Lactobacillus helveticus* CNRZ32, 572
Fernández Murga, M.L., Cabrera, G.M., Font De Valdez, G., Disalvo, A. & Seldes, A.M. Influence of growth temperature on cryotolerance and lipid composition of *Lactobacillus acidophilus*, 342
Ferreira, E.S. *see* Georgalaki, M.D.
Fielding, L.M. *see* Harrison, W.A.
Filho-Lima, J.V.M., Vieira, E.C. & Nicoli, J.R. Antagonistic effect of *Lactobacillus acidophilus*, *Saccharomyces boulardii* and *Escherichia coli* combinations against experimental infections with *Shigella flexneri* and *Salmonella enteritidis* subsp. *typhimurium* in gnotobiotic mice, 365
Fiore, A. *see* Croci, L.
Firth, J.R. & Edwards, C. Analysis of denitrification by *Pseudomonas stutzeri* under nutrient-limited conditions using membrane inlet mass spectrometry, 853
Fitzgerald, J.R., Hartigan, P.J., Meaney, W.J. & Smyth, C.J. Molecular population and virulence factor analysis of *Staphylococcus aureus* from bovine intramammary infection, 1028
Flannigan, B. *see* Boeira, L.S.
Font De Valdez, G. *see* Fernández Murga, M.L.
Fouz, B., Toranzo, A.E., Milán, M. & Amaro, C. Evidence that water transmits the disease caused by the fish pathogen *Photobacterium damselae* subsp. *damselae*, 531
Franz, C.M.A.P. *see* Du Toit, M.
Franzmann, P.D. *see* Robertson, W.J.
Frias, J. *see* Ribas, F.
Frillingos, S., Linden, A., Niehaus, F., Vargas, C., Nieto, J.J., Ventosa, A., Antranikian, G. & Drainas, C. Cloning and expression of α-amylase from the hyperthermophilic archaeon *Pyrococcus woesei* in the moderately halophilic bacterium *Halomonas elongata*, 495

Gacto, M., Vicente-Soler, J., Cansado, J. & Villa, T.G. Characterization of an extracellular enzyme system produced by *Micromonospora chalcea* with lytic activity on yeast cells, 961
Gadd, G.M. *see* Smith, W.L.
García De Fernando, G. *see* Pin, C.
Gardini, F. *see* Suzzi, G.
Gardner, N.J. *see* Champagne, C.P.
Garriga, M. *see* Aymerich, T.
Gavini, F. *see* Duez, H.
Geissler, K., Manafi, M., Amorós, I. & Alonso, J.L. Quantitative determination of total coliforms and *Escherichia coli* in marine waters with chromogenic and fluorogenic media, 280
Georgalaki, M.D., Sarantinopoulos, P., Ferreira, E.S., De Vuyst, L., Kalantzopoulos, G. & Tsakalidou, E. Biochemical properties of *Streptococcus macedonicus* strains isolated from Greek Kasseri cheese, 817
George, I., Petit, M. & Servais, P. Use of enzymatic methods for rapid enumeration of coliforms in freshwaters, 404
Georgiadou, K.G. *see* Samelis, J.
Gilbert, P. *see* Maira-Litrán, T.
Gill, T.A. *see* Truelstrup Hansen, L.
Gillespie, I., Little, C. & Mitchell, R. Microbiological examination of cold ready-to-eat sliced meats from catering establishments in the United Kingdom, 467
Gilmour, A. *see* Norwood, D.E.
Giovannacci, I., Ermel, G., Salvat, G., Vendeuvre, J.L. & Bellon-Fontaine, M.N. Physicochemical surface properties of five *Listeria monocytogenes* strains from a pork-processing environment in relation to serotypes, genotypes and growth temperature, 992
Glucksman, A.M., Skipper, H.D., Brigmon, R.L. & Santo Domingo, J.W. Use of the MIDI-FAME technique to characterize groundwater communities, 711
Gobbetti, M., Lavermicocca, P., Minervini, F., De Angelis, M. & Corsetti, A. Arabinose fermentation by *Lactobacillus plantarum* in sourdough with added pentosans and α-L-arabinofuranosidase: a tool to increase the production of acetic acid, 317
González, M.P. *see* Cabo, M.L.
Gonzalez-Fandos, E. *see* Olarte, C.
Grant, G. *see* Naughton, P.J.
Granum, P.E. *see* Choma, C.
Greening, G.E. *see* Lewis, G.D.
Griffith, R.W. *see* Moro, M.H.
Grill, J.P. *see* Perrin, S.
Guespin-Michel, J.F. *see* Regeard, C.
Guinebretière, M.H. *see* Choma, C.
Gupta, S., Bhushan, B. & Hoondal, G.S. Isolation, purification and characterization of xylanase from *Staphylococcus* sp. SG-13 and its application in biobleaching of kraft pulp, 325
Gustafson, J.E. *see* Cox, S.D.
Guyot, J.P., Calderon, M. & Morlon-Guyot, J. Effect of pH control on lactic acid fermentation of starch by *Lactobacillus manihotivorans* LMG 18010^T, 176
Guzman-Murillo, M.-A., Merino-Contreras, M.L. & Ascencio, F. Interaction between *Aeromonas veronii* and epithelial cells of spotted sand bass (*Paralabrax maculatofasciatus*) in culture, 897

Haario, H. *see* Johansson, T.
Haba, E., Espuny, M.J., Busquets, M. & Manresa, A. Screening and production of rhamnolipids by *Pseudomonas aeruginosa* 47T2 NCIB 40044 from waste frying oils, 379
Hanada, N. *see* Suzuki, T.
Harrington, D. *see* Bolton, D.J.

Harrison, W.A., Peters, A.C. & Fielding, L.M. Growth of *Listeria monocytogenes* and *Yersinia enterocolitica* colonies under modified atmospheres at 4 and 8 °C using a model food system, 38
Hartigan, P.J. *see* Fitzgerald, J.R.
Hatzikamari, M. *see* Xanthopoulos, V.
Hegarty, T. *see* Logue, C.M.
Helander, I.M. & Mattila-Sandholm, T. Fluorometric assessment of Gram-negative bacterial permeabilization, 213
Herman, L.M.F. *see* Tcherneva, E.
Hill, C. *see* Morgan, S.M.
Hoffman, L.J. *see* Moro, M.H.
Holzapfel, W.H. *see* Du Toit, M.
Hoondal, G.S. *see* Gupta, S.
Huang, K.-X. *see* Tyurin, M.
Hudson, J.A., Cai, Y., Corner, R.J., Morvan, B. & Joblin, K.N. Identification and enumeration of oleic acid and linoleic acid hydrating bacteria in the rumen of sheep and cows, 286
Hue, S. *see* Mangeney, N.
Hugas, M. *see* Aymerich, T.
Hull, P.S. *see* Tavana, A.M.

Innocent, J.P. *see* Champagne, C.P.
Inoue, T. *see* Tada, Y.
Ivanova, J. *see* Toncheva-Panova, T.

Jain, R.K. *see* Chauhan, A.
James, B.W., Williams, A. & Marsh, P.D. The physiology and pathogenicity of *Mycobacterium tuberculosis* grown under controlled conditions in a defined medium, 669
James, T.C. *see* Brosnan, M.P.
Janda, L., Damborský, J., Petříček, M., Spížek, J. & Tichý, P. Molecular characterization of the *Thermomonospora curvata agl*A gene encoding a thermotolerant α-1,4-glucosidase, 773
Jennes, W., Dicks, L.M.T. & Verwoerd, D.J. Enterocin 012, a bacteriocin produced by *Enterococcus gallinarum* isolated from the intestinal tract of ostrich, 349
Jersek, B. *see* Tcherneva, E.
Joblin, K.N. *see* Hudson, J.A.
Johansson, T., Ahola-Luttila, H., Pirhonen, T., Taimisto, A.-M., Haario, H., Laine, M. & Salkinoja-Salonen, M. Improved detection of *Listeria monocytogenes* in soft mould-ripened cheese, 870
Johnston, M.D. *see* Lambert, R.J.W.
Johnston, M.D., Simons, E.-A. & Lambert, R.J.W. One explanation for the variability of the bacterial suspension test, 237
Joyeux, A. *see* Moreno-Arribas, V.
Jugiau, F. *see* Tholozan, J.L.

Kalantzopoulos, G. *see* Georgalaki, M.D.
Katayama, N. *see* Ohmomo, S.
Kim, S.-B. *see* Choi, H.-J.
Kobayashi, M. *see* Ohmomo, S.
Korachi, M. *see* Tavana, A.M.

Lafarge, V. *see* Vlaemynck, G.
Laine, M. *see* Johansson, T.
Lambert, R.J.W. & Johnston, M.D. Disinfection kinetics: a new hypothesis and model for the tailing of log-survivor/time curves, 907
Lambert, R.J.W. & Pearson, J. Susceptibility testing: accurate and reproducible minimum inhibitory concentration (MIC) and non-inhibitory concentration (NIC) values, 784
Lambert, R.J.W. *see* Johnston, M.D.
Lanorte, M.T. *see* Suzzi, G.
Larcher, S. *see* Cavalca, L.
Lavermicocca, P. *see* Gobbetti, M.
Law, D. A REVIEW: Virulence factors of *Escherichia coli* O157 and other Shiga toxin-producing *E. coli*, 729
Leclerc, H., Edberg, S., Pierzo, V. & Delattre, J.M. A REVIEW: Bacteriophages as indicators of enteric viruses and public health risk in groundwaters, 5
Leluan, G. *see* Mangeney, N.
Lépine, F. *see* Marcoux, J.
Leriche, V. & Carpentier, B. Limitation of adhesion and growth of *Listeria monocytogenes* on stainless steel surfaces by *Staphylococcus sciuri* biofilms, 594
Lewis, G.D., Molloy, S.L., Greening, G.E. & Dawson, J. Influence of environmental factors on virus detection by RT-PCR and cell culture, 633
Li, L. & Lim, C.K. A novel large plasmid carrying multiple β-lactam resistance genes isolated from a *Klebsiella pneumoniae* strain, 1038
Lim, C.K. *see* Li, L.
Lin, C.F. *see* Tseng, Y.Y.
Linden, A. *see* Frillingos, S.
Linder, M. *see* Bouttefroy, A.
Litopoulou-Tzanetaki, E. *see* Xanthopoulos, V.
Little, C. *see* Gillespie, I.
Liu, W. *see* Zhu, W.M.
Liu, Y. & Tay, J.-H. A kinetic model for energy spilling-associated product formation in substrate-sufficient continuous culture, 663
Logue, C.M., Sheridan, J.J., McDowell, D.A., Blair, I.S. & Hegarty, T. The effect of temperature and selective agents on the growth of *Yersinia enterocolitica* serotype O:3 in pure culture, 1001
Lombardi, A. *see* Suzzi, G.
Lonca, J.G. *see* Torrelles, J.B.
Lonvaud-Funel, A. *see* Moreno-Arribas, V.
Louarn, F. *see* Mangeney, N.
Love, D.N. *see* Tavana, A.M.
Lucena, F. *see* Ribas, F.
Lynch, J.M. *see* Naseby, D.C

Madsen, L. *see* Wiklund, T.
Maira-Litrán, T., Allison, D.G. & Gilbert, P. Expression of the multiple antibiotic resistance operon (*mar*) during growth of *Escherichia coli* as a biofilm, 243

Manafi, M. *see* Geissler, K.
Mangeney, N., Niel, P., Paul, G., Faubert, E., Hue, S., Dupeyron, C., Louarn, F. & Leluan, G. A 5-year epidemiological study of extended-spectrum β-lactamase-producing *Klebsiella pneumoniae* isolates in a medium- and long-stay neurological unit, 504
Mann, C.M. *see* Cox, S.D.
Manresa, A. *see* Haba, E.
Manterola, J.M. *see* Torrelles, J.B.
Marcoux, J., Déziel, E., Villemur, R., Lépine, F., Bisaillon, J.-G. & Beaudet, R. Optimization of high-molecular-weight polycyclic aromatic hydrocarbons' degradation in a two-liquid-phase bioreactor, 655
Markham, J.L. *see* Cox, S.D.
Marsh, P.D. *see* James, B.W.
Maszenan, A.-M., Seviour, R.J., Patel, B.K.C. & Wanner, J. A fluorescently-labelled r-RNA targeted oligonucleotide probe for the *in situ* detection of G-bacteria of the genus *Amaricoccus* in activated sludge, 826
Mattila-Sandholm, T. *see* Helander, I.M.
Mattila-Sandholm, T. *see* Satokari, R.
McAllister, T.A. *see* Wang, Y.
McDowell, D.A. *see* Bolton, D.J.
McDowell, D.A. *see* Logue, C.M.
McFeters, G.A. *see* Cochran, W.L.
McKay, A.M. *see* Donaghy, J.A.
McMahon, C.M. *see* Bolton, D.J.
Meaney, W.J. *see* Fitzgerald, J.R.
Mee, B.J. *see* Robertson, W.J.
Mengaud, J. *see* Duez, H.
Mérieau, A. *see* Regeard, C.
Merino-Contreras, M.L. *see* Guzman-Murillo, M.-A.
Milán, M. *see* Fouz, B.
Millière, J.B. *see* Bouttefroy, A.
Minervini, F. *see* Gobbetti, M.
Mitchell, R. *see* Gillespie, I.
Mock, M. *see* Cataldi, A.
Molloy, S.L. *see* Lewis, G.D.
Monfort, J.M. *see* Aymerich, T.
Morelli, L. *see* Elli, M.
Moreno-Arribas, V., Torlois, S., Joyeux, A., Bertrand, A. & Lonvaud-Funel, A. Isolation, properties and behaviour of tyramine-producing lactic acid bacteria from wine, 584
Møretrø, T., Aasen, I.M., Storrø, I. & Axelsson, L. Production of sakacin P by *Lactobacillus sakei* in a completely defined medium, 536
Moretti, P. *see* Croci, L.
Morgan, S.M., Ross, R.P., Beresford, T. & Hill, C. Combination of hydrostatic pressure and lacticin 3147 causes increased killing of *Staphylococcus* and *Listeria*, 414
Morlon-Guyot, J. *see* Guyot, J.P.
Moro, M.H., Beran, G.W., Griffith, R.W. & Hoffman, L.J. Effects of heat stress on the antimicrobial drug resistance of *Escherichia coli* of the intestinal flora of swine, 836
Morvan, B. *see* Hudson, J.A.
Muir, D. *see* Whitley, E.
Mulamattathil, S.G., Esterhuysen, H.A. & Pretorius, P.J. Antibiotic-resistant Gram-negative bacteria in a virtually closed water reticulation system, 930
Murado, M.A. *see* Cabo, M.L.
Murata, S. *see* Ohmomo, S.
Murden, A. *see* Warriner, K.
Musgrave, D.R. *see* Broda, D.M.
Myers, C.R., Carstens, B.P., Antholine, W.E. & Myers, J.M. Chromium(VI) reductase activity is associated with the cytoplasmic membrane of anaerobically grown *Shewanella putrefaciens* MR-1, 98
Myers, J.M. *see* Myers, C.R.

Nakajima, T. *see* Ohmomo, S.
Nakanishi, K. *see* Ohmomo, S.
Naseby, D.C, Pascual, J.A. & Lynch, J.M. Effect of biocontrol strains of *Trichoderma* on plant growth, *Pythium ultimum* populations, soil microbial communities and soil enzyme activities, 161
Nasu, M. *see* Tanaka, Y.
Naughton, P.J., Grant, G., Bardocz, S. & Pusztai, A. Modulation of *Salmonella* infection by the lectins of *Canavalia ensiformis* (Con A) and *Galanthus nivalis* (GNA) in a rat model *in vivo*, 720
Navarro, L., Zarazaga, M., Sáenz, J., Ruiz-Larrea, F. & Torres, C. Bacteriocin production by lactic acid bacteria isolated from Rioja red wines, 44
Neut, C. *see* Duez, H.
Nguyen-The, C. *see* Choma, C.
Nicoli, J.R. *see* Filho-Lima, J.V.M.
Niehaus, F. *see* Frillingos, S.
Niel, P. *see* Mangeney, N.
Nielsen, P.V. *see* Abellana, M.
Nieto, J.J. *see* Frillingos, S.
Nishihara, T., Okamoto, T. & Nishiyama, N. Biodegradation of didecyldimethylammonium chloride by *Pseudomonas fluorescens* TN4 isolated from activated sludge, 641
Nishio, N. *see* Bainotti, A.E.
Nishiyama, N. *see* Nishihara, T.
Nitisinprasart, S. *see* Ohmomo, S.
Norwood, D.E. & Gilmour, A. The growth and resistance to sodium hypochlorite of *Listeria monocytogenes* in a steady-state multispecies biofilm, 512

Ohmomo, S., Murata, S., Katayama, N., Nitisinprasart, S., Kobayashi, M., Nakajima, T., Yajima, M. & Nakanishi, K. Purification and some characteristics of enterocin ON-157, a bacteriocin produced by *Enterococcus faecium* NIAI 157, 81
Okamoto, T. *see* Nishihara, T.
Olarte, C., Sanz, S., Gonzalez-Fandos, E. & Torre, P. The effect of a commercial starter culture addition on the ripening of an artisanal goat's cheese (Cameros cheese), 421

Padda, R. *see* Tyurin, M.
Parkin, K.L. *see* Fenster, K.M.

Pascual, J.A. *see* Naseby, D.C
Pastoriza, L. *see* Cabo, M.L.
Patel, B.K.C. *see* Maszenan, A.-M.
Paul, G. *see* Mangeney, N.
Pearson, J. *see* Lambert, R.J.W.
Pelletier, C. *see* Duez, H.
Perramon, J. *see* Ribas, F.
Perrin, S., Grill, J.P. & Schneider, F. Effects of fructooligosaccharides and their monomeric components on bile salt resistance in three species of bifidobacteria, 968
Peters, A.C. *see* Harrison, W.A.
Petit, M. *see* George, I.
Petříček, M. *see* Janda, L.
Pierzo, V. *see* Leclerc, H.
Pillay, B. *see* Singh, S.
Pin, C., Baranyi, J. & García De Fernando, G. Predictive model for the growth of *Yersinia enterocolitica* under modified atmospheres, 521
Pirhonen, T. *see* Johansson, T.
Pretorius, P.J. *see* Mulamattathil, S.G.
Prior, B.A. *see* Singh, S.
Pusztai, A. *see* Naughton, P.J.
Pyun, Y.-R. *see* Choi, H.-J.

Ragettli, S. *see* Stephan, R.
Ramos, A.J. *see* Abellana, M.
Regeard, C., Mérieau, A. & Guespin-Michel, J.F. A bioluminescence assay for screening thermoregulated genes in a psychrotrophic bacterium *Pseudomonas fluorescens*, 183
Reguant, C., Bordons, A., Arola, L. & Rozès, N. Influence of phenolic compounds on the physiology of *Œnococcus œni* from wine, 1065
Remize, F., Sablayrolles, J.M. & Dequin, S. Re-assessment of the influence of yeast strain and environmental factors on glycerol production in wine, 371
Reniero, R. *see* Elli, M.
Ribas, F., Perramon, J., Terradillos, A., Frias, J. & Lucena, F. The *Pseudomonas* group as an indicator of potential regrowth in water distribution systems, 704
Rijpens, N. *see* Tcherneva, E.
Ritz, M. *see* Tholozan, J.L.
Robertson, W.J., Franzmann, P.D. & Mee, B.J. Spore-forming, *Desulfosporosinus*-like sulphate-reducing bacteria from a shallow aquifer contaminated with gasolene, 248
Ross, R.P. *see* Morgan, S.M.
Rozès, N. *see* Reguant, C.
Ruiz-Larrea, F. *see* Navarro, L.
Rumsby, P. *see* Warriner, K.
Rysstad, G. *see* Warriner, K.
Rytz, A. *see* Elli, M.

Sablayrolles, J.M. *see* Remize, F.
Sáenz, J. *see* Navarro, L.
Salkinoja-Salonen, M. *see* Johansson, T.
Salvat, G. *see* Giovannacci, I.
Salvesen, I. & Vadstein, O. Evaluation of plate count methods for determination of maximum specific growth rate in mixed microbial communities, and its possible application for diversity assessment, 442
Samanta, S.K. *see* Chauhan, A.
Samelis, J. & Georgiadou, K.G. The microbial association of Greek taverna sausage stored at 4 and 10 °C in air, vacuum or 100% carbon dioxide, and its spoilage potential., 58
Sanchis, V. *see* Abellana, M.
Santo Domingo, J.W. *see* Glucksman, A.M.
Sanz, S. *see* Olarte, C.
Sarantinopoulos, P. *see* Georgalaki, M.D.
Sato, M. *see* Watanabe, K.
Satokari, R., Mattila-Sandholm, T. & Suihko, M.-L. Identification of pediococci by ribotyping, 260
Scalfaro, C. *see* Croci, L.
Schmitt, P. *see* Choma, C.
Schneider, F. *see* Perrin, S.
Scotter, S. *see* Vlaemynck, G.
Sechi, L.A., Duprè, I., Deriu, A., Fadda, G. & Zanetti, S. Distribution of *Vibrio cholerae* virulence genes among different *Vibrio* species isolated in Sardinia, Italy, 475
Seldes, A.M. *see* Fernández Murga, M.L.
Servais, P. *see* George, I.
Seviour, R.J. *see* Maszenan, A.-M.
Sheridan, J.J. *see* Bolton, D.J.
Sheridan, J.J. *see* Logue, C.M.
Simons, E.-A. *see* Johnston, M.D.
Singh, S., Pillay, B., Dilsook, V. & Prior, B.A. Production and properties of hemicellulases by a *Thermomyces lanuginosus* strain, 975
Sisti, M. *see* Brandi, G.
Skipper, H.D. *see* Glucksman, A.M.
Smith, R.J. *see* Daniell, T.J.
Smith, W.L. & Gadd, G.M. Reduction and precipitation of chromate by mixed culture sulphate-reducing bacterial biofilms, 983
Smyth, C.J. *see* Fitzgerald, J.R.
Soriano, J. *see* Escamilla, M.L.
Soto-Kelly, P.F. *see* Donaghy, J.A.
Soulignac, L. *see* Champagne, C.P.
Spížek, J. *see* Janda, L.
Steele, J.L. *see* Fenster, K.M.
Stephan, R., Ragettli, S. & Untermann, F. Prevalence and characteristics of verotoxin-producing *Escherichia coli* (VTEC) in stool samples from asymptomatic human carriers working in the meat processing industry in Switzerland, 335
Stewart, G.G. *see* Boeira, L.S.
Stewart, P.S. *see* Cochran, W.L.
Storrø, I. *see* Møretrø, T.
Suh, S.-J. *see* Cochran, W.L.
Suihko, M.-L. *see* Satokari, R.
Suzuki, T., Tagami, J. & Hanada, N. Role of F_1F_0-ATPase in the growth of *Streptococcus mutans* GS5, 555

Suzzi, G., Lombardi, A., Lanorte, M.T., Caruso, M., Andrighetto, C. & Gardini, F. Phenotypic and genotypic diversity of yeasts isolated from water-buffalo Mozzarella cheese, 117

Tada, Y. & Inoue, T. Use of oligotrophic bacteria for the biological monitoring of heavy metals, 154
Tagami, J. *see* Suzuki, T.
Taimisto, A.-M. *see* Johansson, T.
Tanaka, Y., Yamaguchi, N. & Nasu, M. Viability of *Escherichia coli* O157:H7 in natural river water determined by the use of flow cytometry, 228
Tavana, A.M., Korachi, M., Boote, V., Hull, P.S., Love, D.N. & Drucker, D.B. Phospholipid analogues of *Porphyromonas gingivalis*, 791
Tay, J.-H. *see* Liu, Y.
Tcherneva, E., Rijpens, N., Jersek, B. & Herman, L.M.F. Differentiation of *Brucella* species by Random Amplified Polymorphic DNA analysis, 69
Te Giffel, M.C. *see* Van Gerwen, S.J.C.
Terradillos, A. *see* Ribas, F.
Tholozan, J.L., Ritz, M., Jugiau, F., Federighi, M. & Tissier, J.P. Physiological effects of high hydrostatic pressure treatments on *Listeria monocytogenes* and *Salmonella typhimurium*, 202
Thomas, D. *see* Warriner, K.
Tichý, P. *see* Janda, L.
Tissier, J.P. *see* Tholozan, J.L.
Tomasini, A. *see* Escamilla, M.L.
Toncheva-Panova, T. & Ivanova, J. Influence of physiological factors on the lysis effect of *Cytophaga* on the red microalga *Rhodella reticulata*, 358
Toranzo, A.E. *see* Fouz, B.
Torlois, S. *see* Moreno-Arribas, V.
Torre, P. *see* Olarte, C.
Torrelles, J.B., Chatterjee, D., Lonca, J.G., Manterola, J.M., Ausina, V.R. & Brennan, P.J. Serovars of *Mycobacterium avium* complex isolated from AIDS and non-AIDS patients in Spain, 266
Torres, C. *see* Navarro, L.
Truelstrup Hansen, L. & Gill, T.A. Solubility and antimicrobial efficacy of protamine on *Listeria monocytogenes* and *Escherichia coli* as influenced by pH, 1049
Tsakalidou, E. *see* Georgalaki, M.D.
Tsakalidou, E. *see* Xanthopoulos, V.
Tseng, Y.Y., Chen, M.T. & Lin, C.F. Growth, pigment production and protease activity of *Monascus purpureus* as affected by salt, sodium nitrite, polyphosphate and various sugars, 31
Tyurin, M., Padda, R., Huang, K.-X., Wardwell, S., Caprette, D. & Bennett, G.N. Electrotransformation of *Clostridium acetobutylicum* ATCC 824 using high-voltage radio frequency modulated square pulses, 220
Tzanetakis, N. *see* Xanthopoulos, V.

Untermann, F. *see* Stephan, R.

Vadstein, O. *see* Salvesen, I.
Valdés, S.E *see* Escamilla, M.L.
Van 't Riet, K. *see* Van Gerwen, S.J.C.
Van Den Bulk, R.W. *see* Chitarra, L.G.
Van Den Burg, B. *see* Coffey, A.
Van Gerwen, S.J.C., Te Giffel, M.C., Van 't Riet, K., Beumer, R.R. & Zwietering, M.H. Stepwise quantitative risk assessment as a tool for characterization of microbiological food safety, 938
Vargas, C. *see* Frillingos, S.
Velge, P. *see* Choma, C.
Veltman, R. *see* Coffey, A.
Vendeuvre, J.L. *see* Giovannacci, I.
Ventosa, A. *see* Frillingos, S.
Verwoerd, D.J. *see* Jennes, W.
Vicente-Soler, J. *see* Gacto, M.
Vieira, E.C. *see* Filho-Lima, J.V.M.
Villa, T.G. *see* Gacto, M.
Villemur, R. *see* Marcoux, J.
Vlaemynck, G., Lafarge, V. & Scotter, S. Improvement of the detection of *Listeria monocytogenes* by the application of ALOA, a diagnostic, chromogenic isolation medium, 430

Waites, W.M. *see* Warriner, K.
Waites, W.M. *see* Whitley, E.
Wang, Y., McAllister, T.A., Yanke, L.J. & Cheeke, P.R. Effect of steroidal saponin from *Yucca schidigera* extract on ruminal microbes, 887
Wanner, J. *see* Maszenan, A.-M.
Wardwell, S. *see* Tyurin, M.
Warmington, J.R. *see* Cox, S.D.
Warriner, K., Rysstad, G., Murden, A., Rumsby, P., Thomas, D. & Waites, W.M. Inactivation of *Bacillus subtilis* spores on packaging surfaces by u.v. excimer laser irradiation, 678
Watanabe, K., Abe, K. & Sato, M. Biological control of an insect pest by gut-colonizing *Enterobacter cloacae* transformed with ice nucleation gene, 90
Whitley, E., Muir, D. & Waites, W.M. The growth of *Listeria monocytogenes* in cheese packed under a modified atmosphere, 52
Wigley, P. & Burton, N.F. A NOTE: Multiple chromosomes in *Burkholderia cepacia* and *B. gladioli* and their distribution in clinical and environmental strains of *B. cepacia*, 914
Wiklund, T., Madsen, L., Bruun, M.S. & Dalsgaard, I. Detection of *Flavobacterium psychrophilum* from fish tissue and water samples by PCR amplification, 299
Williams, A. *see* James, B.W.
Wu, D.Q. *see* Zhu, W.M.
Wyllie, S.G. *see* Cox, S.D.

Xanthopoulos, V., Hatzikamari, M., Adamidis, T., Tsakalidou, E., Tzanetakis, N. & Litopoulou-Tzanetaki, E. Heterogeneity of *Lactobacillus plantarum* isolates from Feta cheese throughout ripening, 1056

Yajima, M. *see* Ohmomo, S.
Yamaguchi, N. *see* Tanaka, Y.
Yanke, L.J. *see* Wang, Y.

Zanetti, S. *see* Sechi, L.A.
Zarazaga, M. *see* Navarro, L.
Zhu, W.M., Liu, W. & Wu, D.Q. Isolation and characterization of a new bacteriocin from *Lactobacillus gasseri* KT7, 877
Zink, R. *see* Elli, M.
Zwietering, M.H. *see* Van Gerwen, S.J.C.

Index of Subjects

A 5-year study of ESBL-producing *Klebsiella pneumoniae* (Mangeney, Niel, Paul, Faubert, Hue, Dupeyron, Louarn & Leluan) 504
Acetic acid production by *Lactobacillus plantarum* (Gobbetti, Lavermicocca, Minervini, De Angelis & Corsetti) 317
Acidification with immobilized cell technology cultures (Champagne, Gardner, Soulignac & Innocent) 124
Activity of *Escherichia coli* O157:H7 in river water (Tanaka, Yamaguchi & Nasu) 228
Aeromonas veronii and epithelial cell interactions (Guzman-Murillo, Merino-Contreras & Ascencio) 897
α-glucosidase gene from *Thermomonospora curvata* (Janda, Damborský, Petříček, Spížek & Tichý) 773
An epizootiological study of *Photobacterium damselae* subsp. *damselae* (Fouz, Toranzo, Milán & Amaro) 531
Analysis of denitrification under nutrient limitation (Firth & Edwards) 853
Antimicrobial agents from plants (Dorman & Deans) 308
Antimicrobial resistance and heat stress in swine (Moro, Beran, Griffith & Hoffman) 836
Aquatic antibiotic-resistant bacteria (Mulamattathil, Esterhuysen & Pretorius) 930
Arylesterase from *Lactobacillus helveticus* CNRZ32 (Fenster, Parkin & Steele) 572
Asymptomatic human VTEC carriers (Stephan, Ragettli & Untermann) 335

Bacillus cereus in vegetables (Choma, Guinebretière, Carlin, Schmitt, Velge, Granum & Nguyen-The) 617
Bacterial thermoresistance (Bolton, McMahon, Doherty, Sheridan, McDowell, Blair & Harrington) 626
Bacteriocin by lactic acid bacteria (Navarro, Zarazaga, Sáenz, Ruiz-Larrea & Torres) 44
Bacteriocin from *Lactobacillus gasseri* KT7 (Zhu, Liu & Wu) 877
Bacteriophages as indicators of enteric viruses (Leclerc, Edberg, Pierzo & Delattre) 5
Bifidobacterium animalis detection in faeces (Duez, Pelletier, Cools, Aissi, Cayuela, Gavini, Bouquelet, Neut & Mengaud) 1019
Biochemical properties of *Streptococcus macedonicus* (Georgalaki, Sarantinopoulos, Ferreira, De Vuyst, Kalantzopoulos & Tsakalidou) 817
Biocontrol by transgenic ice nucleation active bacteria (Watanabe, Abe & Sato) 90
Biodegradation of 4-nitrocatechol (Chauhan, Samanta & Jain) 764
Biodegradation of didecyldimethylammonium chloride (Nishihara, Okamoto & Nishiyama) 641

Changes during ripening of Cameros cheese (Olarte, Sanz, Gonzalez-Fandos & Torre) 421
Characterization of live *Bacillus anthracis* vaccines (Cataldi, Mock & Bentancor) 648
Chitinase from *Bacillus* sp. BG-11 (Bhushan) 800
Chromate reduction by sulphate-reducing bacteria (Smith & Gadd) 983
Chromium(VI) reductase in *Shewanella putrefaciens* MR-1 (Myers, Carstens, Antholine & Myers) 98
Coliforms and *Escherichia coli* in marine waters (Geissler, Manafi, Amorós & Alonso) 280
Cryotolerance and lipid composition in *Lactobacillus acidophilus* (Fernández Murga, Cabrera, Font De Valdez, Disalvo & Seldes) 342

Diacetyl and starch in LAB cultures (Escamilla, Valdés, Soriano & Tomasini) 142
Differential agar for *Listeria monocytogenes* (Vlaemynck, Lafarge & Scotter) 430
Disinfectant suspension testing (Johnston, Simons & Lambert) 237
Distribution of virulence genes among *Vibrio* species (Sechi, Duprè, Deriu, Fadda & Zanetti) 475
Diversity of a degradative bacterial consortium (Cavalca, Confalonieri, Larcher & Andreoni) 1009
Diversity of *Serratia plymuthica* strains (Berg) 952
Dose–response relationships (Cabo, Murado, González & Pastoriza) 756

Effect of MAP and A_w on growth of *Eurotium* spp. (Abellana, Ramos, Sanchis & Nielsen) 606
Effect of modified atmospheres on *Listeria monocytogenes* and *Yersinia enterocolitica* (Harrison, Peters & Fielding) 38
Effect of probiotic combinations against enteropathogenic challenge (Filho-Lima, Vieira & Nicoli) 365
Effects of high hydrostatic pressure treatment (Tholozan, Ritz, Jugiau, Federighi & Tissier) 202
Electrotransformation of *Clostridium acetobutylicum* ATCC 824 (Tyurin, Padda, Huang, Wardwell, Caprette & Bennett) 220
Energy spilling-associated product formation (Liu & Tay) 663
Enterocin A from *Enterococcus faecium* EFM01 (Ennahar & Deschamps) 449
Enterocin ON-157 from *Enterococcus faecium* NIAI 157 (Ohmomo, Murata, Katayama, Nitisinprasart, Kobayashi, Nakajima, Yajima & Nakanishi) 81
Enterocin produced by *Enterococcus gallinarum* isolated from ostrich (Jennes, Dicks & Verwoerd) 349
Enterococcal bacteriocins (Du Toit, Franz, Dicks & Holzapfel) 482
Environmental factors and virus detection (Lewis, Molloy, Greening & Dawson) 633
Enzymatic detection of coliforms (George, Petit & Servais) 404
Expression of a hyperthermophilic α-amylase in *Halomonas elongata* (Frillingos, Linden, Niehaus, Vargas, Nieto, Ventosa, Antranikian & Drainas) 495

Feruloyl esterase of *Clostridium stercorarium* (Donaghy, Bronnenmeier, Soto-Kelly & McKay) 458
Fructooligosaccharides (Perrin, Grill & Schneider) 968
Fusarium mycotoxins on yeast growth (Boeira, Bryce, Stewart & Flannigan) 388

Genetically modified bacteriophage (Daniell, Davy & Smith) 860
Glycerol variability in wine (Remize, Sablayrolles & Dequin) 371
Gram-negative bacterial permeabilization (Helander & Mattila-Sandholm) 213
Growth kinetics of *Acetobacterium* sp. (Bainotti & Nishio) 191
Growth of *Monascus purpureus* as affected by salt (Tseng, Chen & Lin) 31
Growth of *Yersinia enterocolitica* (Logue, Sheridan, McDowell, Blair & Hegarty) 1001

Hemicellulases of *Thermomyces lanuginosus* (Singh, Pillay, Dilsook & Prior) 975
Heterogeneity of *Lactobacillus plantarum* from Feta cheese (Xanthopoulos, Hatzikamari, Adamidis, Tsakalidou, Tzanetakis & Litopoulou-Tzanetaki) 1056
High pressure and lacticin 3147 (Morgan, Ross, Beresford & Hill) 414

Inhibition of *Listeria monocytogenes* ATCC 15313 by curvaticin 13 (Bouttefroy, Linder & Millière) 919
Intrinsic quenching model (Lambert & Johnston) 907

Lactobacillus spp. iron requirement (Elli, Zink, Rytz, Reniero & Morelli) 695
Large plasmid from *Klebsiella pneumoniae* (Li & Lim) 1038
Listeria monocytogenes detection in soft cheese (Johansson, Ahola-Luttila, Pirhonen, Taimisto, Haario, Laine & Salkinoja-Salonen) 870
Listeria monocytogenes in biofilms (Norwood & Gilmour) 512
Listeria monocytogenes in *Staphylococcus sciuri* biofilms (Leriche & Carpentier) 594
Listeria monocytogenes MAP cheese (Whitley, Muir & Waites) 52
Listeria monocytogenes surface properties (Giovannacci, Ermel, Salvat, Vendeuvre & Bellon-Fontaine) 992
luxAB to screen thermoregulated fusions (Regeard, Mérieau & Guespin-Michel) 183
Lysis of microalgae by *Cytophaga* (Toncheva-Panova & Ivanova) 358
Lytic system from *Micromonospora chalcea* (Gacto, Vicente-Soler, Cansado & Villa) 961

MAC isolated in Spanish patients (Torrelles, Chatterjee, Lonca, Manterola, Ausina & Brennan) 266
Metalloprotease from *Listeria monocytogenes* (Coffey, Van Den Burg, Veltman & Abee) 132
Microbial aerosol from aeration tanks (Brandi, Sisti & Amagliani) 845
Microbial ecology of Greek taverna sausage (Samelis & Georgiadou) 58
Microbiological quality of cold meats (Gillespie, Little & Mitchell) 467
MIDI-FAME technique (Glucksman, Skipper, Brigmon & Santo Domingo) 711
Mode of action of tea tree oil (Cox, Mann, Markham, Bell, Gustafson, Warmington & Wyllie) 170
Multiple antibiotic resistance operon (*mar*) in *Escherichia coli* biofilm (Maira-Litrán, Allison & Gilbert) 243
Multiple chromosomes in *Burkholderia cepacia* (Wigley & Burton) 914
Mycobacterium tuberculosis pathogenesis (James, Williams & Marsh) 669

Nisin-like bacteriocin from *Lactococcus lactis* subsp. *lactis* A164 (Choi, Cheigh, Kim & Pyun) 563

Oligotrophs as a biosensor (Tada & Inoue) 154

PCR detection of *Flavobacterium psychrophilum* (Wiklund, Madsen, Bruun & Dalsgaard) 299
pH and antimicrobial efficacy of protamine (Truelstrup Hansen & Gill) 1049
Phenolic compounds and *Œnococcus œni* (Reguant, Bordons, Arola & Rozès) 1065
Plant lectins alter *Salmonella* infection (Naughton, Grant, Bardocz & Pusztai) 720
Plate count methods (Salvesen & Vadstein) 442
Polycyclic aromatic hydrocarbons' degradation in two-liquid phase bioreactors (Marcoux, Déziel, Villemur, Lépine, Bisaillon & Beaudet) 655
Population of bovine *Staphylococcus aureus* (Fitzgerald, Hartigan, Meaney & Smyth) 1028
Porphyromonas phospholipids (Tavana, Korachi, Boote, Hull, Love & Drucker) 791
Probing G-bacteria in activated sludge (Maszenan, Seviour, Patel & Wanner) 826
Pseudomonas aeruginosa 47T2 NCIB 40044 rhamnolipid production (Haba, Espuny, Busquets & Manresa) 379
Pseudomonas aeruginosa biofilm resistance (Cochran, Suh, McFeters & Stewart) 546
Pseudomonas in water distribution systems (Ribas, Perramon, Terradillos, Frias & Lucena) 704

RAPD differentiation of *Brucella* (Tcherneva, Rijpens, Jersek & Herman) 69
RFLP of 'blown pack' clostridia (Broda, Musgrave & Bell) 107
Ribotyping of pediococci (Satokari, Mattila-Sandholm & Suihko) 260

Sakacin P production in a completely defined medium (Møretrø, Aasen, Storrø & Axelsson) 536
Sausages, biopreservatives and enterocins (Aymerich, Artigas, Garriga, Monfort & Hugas) 686

Spore inactivation by u.v. irradiation (Warriner, Rysstad, Murden, Rumsby, Thomas & Waites) 678
Starch fermentation by *Lactobacillus manihotivorans* LMG 18010^T (Guyot, Calderon & Morlon-Guyot) 176
Stepwise quantitative risk assessment (Van Gerwen, Te Giffel, Van 't Riet, Beumer & Zwietering) 938
Streptococcus mutans F_1F_0-ATPase (Suzuki, Tagami & Hanada) 555
Stress response in brewery yeast strains (Brosnan, Donnelly, James & Bond) 746
Sulphate-reducing bacteria in a hydrocarbon plume (Robertson, Franzmann & Mee) 248
Susceptibility testing (Lambert & Pearson) 784

Thin *Pseudomonas aeruginosa* biofilms (Cochran, McFeters & Stewart) 22
Trichoderma and plant growth (Naseby, Pascual & Lynch) 161
Tyramine-producing bacteria in wine (Moreno-Arribas, Torlois, Joyeux, Bertrand & Lonvaud-Funel) 584

Unsaturated fatty acid hydration in the rumen (Hudson, Cai, Corner, Morvan & Joblin) 286

Viability of *Clavibacter michiganensis* subsp. *michiganensis* (Chitarra, Breeuwer, Van Den Bulk & Abee) 809
Virulence factors of *Escherichia coli* O157 (Law) 729
Viruses, phages and *Escherichia coli* in mussels (Croci, De Medici, Scalfaro, Fiore, Divizia, Donia, Cosentino, Moretti & Costantini) 293

Xylanase from *Staphylococcus* sp. SG-13 (Gupta, Bhushan & Hoondal) 325

Yeasts from Mozzarella cheese (Suzzi, Lombardi, Lanorte, Caruso, Andrighetto & Gardini) 117
Yersinia enterocolitica under modified atmospheres (Pin, Baranyi & García De Fernando) 521
Yucca schidigera saponins and ruminal microbes (Wang, McAllister, Yanke & Cheeke) 887